

In the Claims

1. (Currently Amended) A method for arranging a conference call between three or more participants using a mobile terminal (200) operating in a cellular network (100) in which method a group of participants (400) of the conference call is formed, characterized in that in the mobile terminal of the convener of the conference call
 - a summons to a meeting (410) is drawn up in standardized form,
 - a summons to a meeting is sent from a mobile terminal to all the members of the group of participants, and
 - calls coming from the participants are received in the mobile terminal and joined to the conference call automatically.

2. (Currently Amended) A method according to Claim 1, characterized in that the summons to the meeting (410) is formed before the group of participants (400) is formed.

3. (Currently Amended) A method according to Claim 1 or 2, characterized in that the group of participants (400) is formed by selecting the participants from a list (230) saved in the memory (220) of the mobile terminal and/or inputting the contact information of the participants, such as telephone numbers, e-mail addresses or SIP addresses to the application manually.

4. (Currently Amended) A method according to ~~any one of~~ claims 1 to 3, characterized in that the group of participants (400) is given a name and that the formed group is saved in the memory (220) of the mobile terminal (200) for later use.

5. (Currently Amended) A method according to ~~any one of~~ claims 1 to 4, characterized in that the time of the conference call and other information concerning the conference call is given in the summons to the meeting (410).

6. (Currently Amended) A method according to Claim 5, characterized in that the agenda of the conference call is given in the summons to the meeting (410).
7. (Currently Amended) A method according to ~~any one of~~ claims 1 ~~to~~ 6, characterized in that the summons to the meeting (410) is formed as a character string composed of ASCII characters.
8. (Currently Amended) A method according to Claim 7, characterized in that the summons to the meeting (410) is sent to the participants as a text message.
9. (Currently Amended) A method according to Claim 7, characterized in that the summons to the meeting (410) is sent to the participants as an e-mail message.
10. (Currently Amended) A method according to ~~any one of~~ claims 1 ~~to~~ 9, characterized in that in connection with forming the summons to the meeting (410), a connection is opened to a calendar application (500) in the mobile terminal (200) and a reservation of time (510) is made in the calendar application.
11. (Currently Amended) A method according to ~~any one of~~ claims 1 ~~to~~ 10, characterized in that the summons to the meeting (410) is saved in the memory (220) of the mobile terminal (200) for later use.
12. (Currently Amended) A method according to ~~any one of~~ claims 2 ~~to~~ 11, characterized in that the duration of the conference call and the name of the group of participants (400) are saved in the memory (220) of the mobile terminal (200).
13. (Currently Amended) A method according to ~~any one of~~ claims 1 ~~to~~ 11, characterized in that the convener of the conference call is given a notification

by means of the mobile terminal ~~(200)~~ when a new participant has been joined to the conference call.

14. (Original) A method according to Claim 13, characterized in that said notification is given with an acoustic signal or a recorded voice message.

15. (Currently Amended) An application ~~(300)~~ in a mobile terminal ~~(200)~~ of a cellular network for establishing a conference call between three or more participants comprising means for forming a group of participants ~~(400)~~ of the conference call, characterized in that said application further comprises

- means for starting the application,
- means for drawing up a summons to a meeting ~~(410)~~ in standardized form,
- means for sending a summons to a meeting to the members of the group of participants, and
- means for receiving calls coming from the participants and joining them to the conference call automatically.

16. (Currently Amended) An application ~~(300)~~ according to Claim 15, characterized in that said means for forming a group of participants ~~(400)~~ of the conference call comprise means for selecting participants from a list ~~(230)~~ saved in the memory ~~(220)~~ of the mobile terminal ~~(200)~~, and/or means for inputting the contact information of the participants, such as telephone numbers, e-mail addresses or SIP addresses to the application manually.

17. (Currently Amended) An application ~~(300)~~ according to Claim 15 ~~or 16~~, characterized in that said means for starting the application comprise a starting icon ~~(310)~~ produced on the display ~~(240)~~ of the mobile terminal ~~(200)~~.

18. (Currently Amended) An application ~~(300)~~ according to Claim 15 ~~or 16~~, characterized in that said means for starting the application have been arranged in a menu of the mobile terminal ~~(200)~~.

19. (Currently Amended) An application (300) according to ~~any one of~~ claims 15 ~~to~~ 18, characterized in that said summons to the meeting (410) has been formed as a character string composed of ASCII characters.
20. (Currently Amended) An application (300) according to Claim 19, characterized in that said summons to the meeting (410) has been formed as a text message.
21. (Currently Amended) An application (300) according to Claim 19, characterized in that said summons to the meeting (410) has been formed as an e-mail message.
22. (Currently Amended) An application (300) according to ~~any one of~~ claims 15 ~~to~~ 21, characterized in that it also comprises means for creating a connection to a calendar application (500) in the mobile terminal (200) for making a reservation of time (510) in the calendar application.
23. (Currently Amended) An application (300) according to ~~any one of~~ claims 15 ~~to~~ 12, characterized in that it also comprises means for separating the received summons to the meeting (410) from other messages that have arrived.
24. (Currently Amended) An application (300) according to ~~any one of~~ claims 15 ~~to~~ 23, characterized in that it also comprises means for picking up a telephone number from the received summons to the meeting (410) and for automatically making a call to the number picked up.
25. (Currently Amended) An application (300) according to ~~any one of~~ claims 15 ~~to~~ 24, characterized in that it also comprises means for saving the duration of the conference call and the name of the conference call in the memory (210) of the mobile terminal (200).

26. (Currently Amended) An application (300) according to ~~any one of~~ claims 15 ~~to 24~~, characterized in that it also comprises means for giving a notification to the convener of the conference call when a new participant has been joined to the conference call.

27. (Currently Amended) A mobile terminal (200) operating in a cellular network (100), with a display (240) and memory (220) and means for arranging a conference call between three or more participants comprising means for forming a group of participants (400) of the conference call, characterized in that said means for arranging a conference call comprise an application (300) loaded into the memory of the mobile terminal, which application includes

- means for starting the application,
- means for drawing up a summons to a meeting (410) in standardized form,
- means for sending a summons to a meeting to the members of the group of participants, and
- means for receiving calls coming from the participants and joining them to the conference call automatically.

28. (Currently Amended) A mobile terminal (200) according to Claim 27, characterized in that said means for starting the application (300) comprise a starting icon (340) brought to the display (240) of the mobile terminal (200).

29. (Currently Amended) A mobile terminal (200) according to Claim 27, characterized in that said means for starting the application (300) have been arranged in a menu of the mobile terminal (200).

30. (Currently Amended) A computer program on a storage or data transfer medium for loading an application (300) ~~according to Claim 15 into the memory (220) of the mobile terminal (200) for implementing the method according to Claim 1~~ into a memory of a mobile terminal, the application for establishing a conference call between three or more participants comprising means for forming a group of participants of the conference call, said application further comprising,

means for starting the application,

means for drawing up a summons to a meeting in standardized form,

means for sending a summons to a meeting to members of the group of participants, and

means for receiving calls coming from the participants and joining them to the conference call automatically,

where execution of the computer program results in operations that comprise, in the mobile terminal of a convener of the conference call,

drawing up the summons to the meeting in standardized form,

sending the summons to the meeting from the mobile terminal to all members of the group of participants, and

in response to receiving a call from a participant, joining the participant to the conference call automatically.